



Yesterday



Today



Tomorrow




703 South 28th St. Estherville, IA 51334 - 888-895-AERO

Table of Contents


30 Series.....	3
31 Series.....	4
33 Series.....	5
50 Series.....	6
51 Series.....	7
52 Series.....	8
53 Series.....	9
56 Series.....	10
58 Series.....	11
59 Series.....	12
Mudcovers.....	13
Beadlock Accessories.....	14
Specialty and Tools.....	15



**5 - Lug Bolt Pattern
Center to Outside**



**4 - Lug Bolt Pattern
Center to Center**



Special Order Colors



**Black
Chrome**



**Blue
Chrome**



**Gold
Chrome**



**Green
Chrome**



**Orange
Chrome**



**Purple
Chrome**



**Red
Chrome**

**These colors are
available for all wheels
special order only.
2-3 week turn around.
Please Plan Ahead!**

30 SERIES

Roll Formed 13" Dirt or Asphalt Wheel



**Black
Powder Coat**



**Silver
Powder Coat**



**AEROBrite
Chrome**

This is a low run-out wheel with knife-edged bead humps. It has our 7-hole D-window center disc made of HSLA material with a new torque ring design. The 13x7 wheel is legal for Legends competition.

Available in all special colors offered on Page 2.

Size	Bolt Pattern	Backspacing	Weight
13x7	4x4*, 4x4¼, 4x4½	1, 2, 3, 3½, 4	15 lbs.
13x8	4x4*, 4x4¼, 4x4½	1, 2, 3, 4	16 lbs.
13x10	4x4*, 4x4¼, 4x4½	1, 2, 3, 4, 5	18 lbs.

*4x4 will work for 4x100mm if you are NOT using ½" studs

May We Suggest ...

- Can be used for both dirt and asphalt
- Designed for vehicles up to 2500 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- All 30 Series have safety bead humps



31 SERIES

Spun Formed 13" Asphalt Wheel



**Black
Powder Coat**



**Silver
Powder Coat**



**AEROBrite
Chrome**

**Available in all special
colors offered on Page 2.**

This is a CNC spun formed rim with extremely low run-outs. It has our 7-hole D-window center disc made out of HSLA material with a new torque ring design. This wheel does not have safety beads humps.

Size	Bolt Pattern	Backspacing	Weight
13x7	4x4*, 4x4¼, 4x4½	1, 2, 3, 4	13 lbs.
13x8	4x4*, 4x4¼, 4x4½	1, 2, 3, 4	14 lbs.
13x10	4x4*, 4x4¼, 4x4½	1, 2, 3, 4, 5	16 lbs.

*4x4 will work for 4x100mm if you are NOT using ⅝" studs



May We Suggest ...

- Used for asphalt only
- Designed for vehicles up to 2500 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- No safety bead humps

33 SERIES

Roll Formed 13" Beadlock



This is a very low run-out beadlock that has our unique 7-hole D-window center disc made out of HSLA material. Our beadlocks are true 7", 8" and 10" widths. The inner and outer rings are CNC laser cut and use 16 zinc plated flange bolts. Mudcover tabs are incorporated into the inner ring to eliminate the need for welding. This series includes a mudcover installation kit.

Available in all special colors offered on Page 2.

Size	Bolt Pattern	Backspacing	Weight
13x7	4x4*, 4x4½, 4x4¾	1, 2, 3, 4	19 lbs.
13x8	4x4*, 4x4½, 4x4¾	1, 2, 3, 4	21 lbs.
13x10	4x4*, 4x4½, 4x4¾	1, 2, 3, 4, 5	22 lbs.

*4x4 will work for 4x100mm if you are NOT using ⅝" studs

May We Suggest ...

- Used for dirt only
- Designed for vehicles up to 2500 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- Standard ring is yellow
- See accessories on Pgs. 13 & 14



50 SERIES

Roll Formed 15" Dirt or Asphalt Wheel



Black
Powder Coat



Silver
Powder Coat



AEROBrite
Chrome

**Available in all special
colors offered on Page 2.**

This wheel has knife edged bead humps, maximum bead seats, low run-out and center disc made with HSLA material. The 15x7 wheels are stamped DOT approved for off-highway use. The 15x8 can be ordered with an IMCA sticker.

Size	Bolt Pattern	Backspacing	Weight
15x7	5x5, 5x4½, 5x4¾	1, 2, 3, 3½	21 lbs.
15x8	5x5, 5x4½, 5x4¾	1, 2, 3, 4	23 lbs.
15x10	5x5, 5x4½, 5x4¾	2, 3, 4, 5	25 lbs.
15x12	5x5, 5x4½, 5x4¾	2, 3, 4, 5	26 lbs.
15x 12	Wide 5	2, 3, 4, 5	23 lbs.



May We Suggest ...

- Used for dirt or asphalt
- Designed for vehicles up to 4000 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- All 50 Series have safety bead humps
- See accessories on Pg.15

51 SERIES

Spun Formed 15" Asphalt Wheel



**Black
Powder Coat**



**Silver
Powder Coat**



**AEROBrite
Chrome**

This wheel has a deeper drop center for easier tire mounting and dismounting and still has the greatest brake caliper clearance and brake cooling capabilities available. All center discs are made from high grade HSLA steel for strength and durability.

Available in all special colors offered on Page 2.

Size	Bolt Pattern	Backspacing	Weight
15x8	5x5, 5x4½, 5x4¾	1, 2, 3, 4	18 lbs.
15x8	Wide 5	2, 3, 4, 5	14 lbs.
15x10	5x5, 5x4½, 5x4¾	1, 2, 3, 4, 4½, 5, 5½, 6	20 lbs.
15x10	Wide 5	1, 2, 3, 4, 4½, 5, 5½, 6	18 lbs.

May We Suggest ...

- Used for asphalt only
- Designed for vehicles up to 3500 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- No safety bead hump
- See accessories on Pg. 15



52 SERIES

Roll Formed 15" IMCA or WISSOTA



**Black
Powder Coat**



**Silver
Powder Coat**



**AEROBrite
Chrome**

**Available in all special
colors offered on Page 2.**



This wheel is our most popular 15x8 on the market today. All center discs are formed out of HSLA steel for strength and durability. This wheel now has more accurate bead seats and a lower run-out. It includes a knife-edged bead hump and can be ordered with an IMCA or WISSOTA sanctioning stickers.

Size	Bolt Pattern	Backspacing	Weight
15x8	5x5, 5x4½, 5x4¼	1, 2, 3, 4	19 lbs.

**Standard part number comes with an IMCA sticker*

**Please specify WISSOTA when ordering*

**If you do not need the IMCA or WISSOTA sticker please see 58 Series 8" wheels on Page 11*



May We Suggest ...

- Used for dirt or asphalt
- Designed for vehicles up to 3500 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- All 52 Series have safety bead humps
- See accessories on Pg. 15

53 SERIES

Roll Formed 15" Beadlock Wheel



**Black
Powder Coat**



**Silver
Powder Coat**



**AEROBrite
Chrome**

This beadlock wheel is true 7", 8", 10" and 12" widths. All center discs are made out of HSLA steel. The inner and outer rings are CNC laser cut and use 16 zinc plated flange bolts. Mudcover tabs are incorporated into the inner ring to eliminate the need for welding. All beadlocks include mudcover installation kits.

Available in all special colors offered on Page 2.

Size	Bolt Pattern	Backspacing	Weight
15x7	5x5, 5x4½, 5x4¾	1, 2, 3, 3½	26 lbs.
15x8	5x5, 5x4½, 5x4¾	1, 2, 3, 4	23 lbs.
15x8	Wide 5	2, 3, 4, 5	21 lbs.
15x10	5x5, 5x4½, 5x4¾	1, 2, 3, 4, 5, 6	26 lbs.
15x10	Wide 5	2, 3, 4, 5, 6, 7	24 lbs.
15x12	5x5, 5x4½, 5x4¾	2, 3, 4, 5, 6, 7	31 lbs.
15x12	Wide 5	2, 3, 4, 5, 6, 7	28 lbs.

***15x8 5-lug comes with IMCA sticker, please specify WISSOTA when ordering.**



May We Suggest ...

- Used for dirt only
- 15x7 and 15x8 are designed for vehicles up to 3500 lbs.
- 15x10 and 15x12 are designed for vehicles up to 4000 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- Standard beadlock ring is yellow
- See accessories on Pgs. 13 & 14



56 SERIES

Spun Formed 15" Extreme Bead



**Black
Powder Coat**



**Silver
Powder Coat**



**AEROBrite
Chrome**

**Available in all special
colors offered on Page 2.**

This wheel is CNC spun formed and our lightest weight 15x8 in our line-up. It incorporates oversized bead seats and a bead hump with an extreme knife "edge." Recommended if your rules require a 15x8 wheel without a beadlock and no minimum weight.

Size	Bolt Pattern	Backspacing	Weight
15x8	5x5, 5x4½, 5x4¾	1, 2, 3, 4	18 lbs.



May We Suggest...

- Used for dirt only
- Not recommended for 2-ply sidewall tires.
- Designed for vehicles up to 3400 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- All 56 Series have safety bead humps.
- See accessories on Pg. 15

58 SERIES

Roll Formed 15" Dirt or Asphalt Wheel



**Black
Powder Coat**



**Silver
Powder Coat**



**AEROBrite
Chrome**

This wheel uses our HSLA center disc as well and has the largest drop center which provide more brake caliper clearance and brake cooling capabilities. The 15x8 is the same wheel as our ever-popular 52 Series only without any sancationing body stickers. This wheel has improved run-out and larger bead seats.

**Available in all special
colors offered on Page 2.**

Size	Bolt Pattern	Backspacing	Weight
15x8	5x5, 5x4½, 5x4¾	1, 2, 3, 4	19 lbs.
15x8	Wide 5	2, 3, 4, 5	17 lbs.
15x10	5x5, 5x4½, 5x4¾	1, 2, 3, 4, 4½, 5, 5½, 6	21 lbs.
15x10	Wide 5	2, 3, 4, 4½, 5, 5½, 6	18 lbs.

May We Suggest ...

- Used for dirt or asphalt
- 15x8 designed for vehicles up to 3500 lbs.
- 15x10 designed for vehicles up to 3600 lbs.
- Must use 1" O.D. lugnuts with 45 degree taper
- All 58 Series have safety bead humps
- See accessories on Pg. 15



59 SERIES

NASCAR Approved



**Black
Powder Coat**



**AEROBrite
Chrome**

**Available in all special
colors offered on Page 2.**

Since November of 1997, AERO's NASCAR wheel has won more Cup, Nationwide and Truck races than all other brands combined. This series also meets or exceeds SFI 35.1 specifications for wheel testing. Using our in-house Hunter Engineering rim measuring machine, each wheel is tested and marked before it leaves our doors. AERO is the originator of the two valve stems with one in front and one behind the windows. We also have the only wheel on the market with E-Coating a coating that is heat resistant and acts as a heat shield. The "E-Coat Process" helps prevent equalization of the tire and inner liner normally caused by paint peeling and rust. The pilot and lug holes have radiuses on the front and back to aid in pitstops.

Size	Bolt Pattern	Backspacing	Weight
15x9½	5x5	4½	27 lbs.



White Mudcover


Our White Mudcover is designed for our 15" wheels only. This cover uses the highest quality PVC molded plastic producing a super-light cover with unparalleled strength. Covers come ready to install on your AERO beadlock wheel and are designed to cover the beadlock ring bolts, resulting in a solid outer surface.



Available in all special colors offered on Page 2.

Chrome Mudcover

Our Chrome Mudcover is designed for our 15" wheels only. This cover uses the highest quality ABS material producing a super-light cover with above par strength. Covers come ready to install on your AERO beadlock wheel and are designed to cover the beadlock ring bolts, resulting in a solid outer surface.



Lexan Mudcover

Our Lexan Mudcover is designed both for our 13" and 15" wheels. This cover uses clear lexan material producing a light weight cover with great strength. Covers come ready to install on your AERO beadlock wheel. The scalloped design fits past the bolt heads to offer a full 360 degrees of support.






Rings come in standard black, yellow or chrome. Also available in special colors listed on Pg. 2

Beadlock Ring

Our Beadlock Rings are designed for both our 13" and 15" beadlock wheels. This ring is CNC laser cut out of high grade steel to ensure a proper fit every time. These lighter weight rings are ribbed to bite to the tire and incorporates 32 bolt holes so rotation of bolts can help wear and tear.



Rings come in standard black, yellow or chrome. Also available in special colors listed on Pg. 2

Beadlock Kit

Our Beadlock Kits are designed for both our 13" and 15" beadlock wheels. This kit uses high grade steel that is CNC laser cut to ensure a proper fit every time. Each kit comes complete with a weld-on inner ring with tabs for a mudcover, our new lighter weight outer ring, bolt kit and mudcover installation kit.



Mudbuster come in standard yellow or chrome. Also available in special colors listed on Pg. 2

Beadlock Mudbuster

Our Mudbuster is designed for our 15" beadlock wheels only. This beadlock ring mudcover combo has been machined down on the inside for weight savings, weighing in at only an additional 1-1/4 lbs. An optional red plastic plug is available for the center hole for complete coverage. It incorporates 32 bolt holes so rotation of bolts can help wear and tear.

Right Front Mudcover

Our Right Front Mudcover is designed for our 15" wheels. This right front non-beadlock mudcover incorporates a round tube that expands to fit by an adjuster nut. Three dzus mounting pads are welded onto the tube for the cover. Once locked into the wheel you can attach the clear lexan cover with 1/4 turn studs.




Left Rear Mudcover

Our Left Rear Inner Mudcovers are designed for our 15" wheels. These covers keep the mud from building up on the inside of your wheel keeping you on the track longer. The 5-lug cover is spun formed out of aluminum and fits between the wheel and the hub of all of our 5-lug bolt patterns. The Wide 5 cover is spun formed out of aluminum slips over the hub studs and a two piece plate is bolted to the brake rotor using two rotor bolts for full protection. This cover fits most Wide 5 wheels, either steel or aluminum. Some brake calipers may require grinding for clearance.



Rim Wrench

AERO designed this unique tool for straightening the outer edges of a wheel when they get flattened or bent in close competition. This tool will straighten the edge of the wheel and also roll the curl back in the wheel. It will not crease or crack the wheel because of the specially manufactured radiused.



AERO Race Wheels
703 South 28th St.
Estherville, IA 51334

